

ROSE HILL PUBLIC SCHOOLS (USD 394)

SAFE ROUTES TO SCHOOL (SRTS) REPORT

**Wichita Area Metropolitan Planning Organization
Safe Routes to School Plan**

DRAFT





Acknowledgments

We gratefully acknowledge the participation of the following individuals and organizations in the development of this Safe Routes to School Plan.

WAMPO Team

Kim Negrete, Project Manager
Nick Flanders
Peter Mohr
Markey Jonas
Katie Newman
Laura VanBurkleo

Local Planning Team

[City of Rose Hill Staff](#)

[Rose Hill Schools USD 394 Staff](#)

Consultant Team

SRF Consulting Group

Chris Brown, Project Manager

Bill Troe, Project Director

Ayden Schaffler

Julian Padilla

Josie Myers

Alta Planning + Design

Lisa Bender

Emma Kogge





TABLE OF CONTENTS

Introduction	1
What is Safe Routes to School?.....	1
Plan Purpose	3
School Plans	4
Existing Conditions	4
Issues Identification	5
Recommendations.....	5
Next Steps.....	9
Rose Hill Schools (USD 394)	10
Completed & Ongoing Plans.....	12
Parent/Caregiver Survey.....	13
Rose Hill School SRTS Plans	19

DRAFT




INTRODUCTION

The Wichita Area Metropolitan Planning Organization (WAMPO) prioritizes safety for all individuals, especially vulnerable road users, including children and families. In collaboration with local governments and schools in the Wichita area, Safe Routes to School (SRTS) Plans for public and private K-12 schools are developed in the region. The main objective of each SRTS plan is to identify school specific recommendations that create a safe, comfortable, and connected environment for more students to walk, roll, and bicycle to and from school.

WHAT IS SAFE ROUTES TO SCHOOL?

SRTS is a national effort to improve walking, rolling, and bicycling conditions for K-12 students and encourage lifelong active behavior and habits. Since the 1960s, the number of students walking, rolling, or bicycling to school has declined from nearly 50% to less than 15% today.¹ The location of new schools in relation to housing, school open enrollment policies, the decline of neighborhood schools, roadway design, and the reduced availability of safe and convenient connections have all contributed to this decline.

Established in 2005, the Federal SRTS program provides a proven approach and best practices for the WAMPO region to implement effective programs that benefit the entire community. The SRTS program supports schools in identifying barriers and developing strategies to create safer, more convenient travel options for students. These include addressing infrastructure gaps and creating programmatic support to empower more students and their families to walk, roll, and bike to school.



Source: MnDOT Safe Routes to School, Shockey Consulting

¹ Kansas Department of Transportation – Safe Routes to School; saferoutes.ksdot.gov/



SRTS E'S

Safe Routes to School programs use a variety of approaches to meet their goals of increasing the numbers of and improving safety for students walking, rolling, or bicycling to school. These approaches are commonly known as the E's.

<i>Icon</i>	<i>Name</i>	<i>Description</i>
	EDUCATION	Ensure that everyone learns how to travel safely through classes, training, and events that teach the skills needed to walk, bicycle, and roll safely.
	ENCOURAGEMENT	Promote and generate enthusiasm around walking and bicycling as ways to travel using events, activities, and programs.
	ENGINEERING	Provide infrastructure like sidewalks, paths, and crossings that allow people to walk, roll, and bike safely within the community and to/from schools.
	ENFORCEMENT	Deter unsafe behaviors of drivers, pedestrians and bicycle riders and encourage all road users to obey traffic laws and share the road safely.
	ENGAGEMENT	Listen to and empower students, families, teachers, community groups, and school leaders in creating an SRTS program that works uniquely for them.
	EVALUATION	Track progress toward achieving goals by reporting and assessing what approaches work (or don't) and identifying program changes that can improve outcomes.



PLAN PURPOSE

WAMPO, municipal agencies, county agencies, ten school districts from across the Wichita metro area, and the Kansas Department of Transportation (KDOT) collaborated on plans to holistically improve safety and transportation choices for K-12 students and for residents of the neighborhoods around K-12 schools. The planning process included reviewing existing conditions, identifying issues and barriers, developing potential solutions, and recommending both infrastructure projects and programmatic/policy ideas to increase the number of students walking, rolling, and bicycling to and from school, including by making it safer to do so. The process also included seeking community input and gathering data from school staff, teachers, parents, and students. In addition to serving as a roadmap for safer school travel, these plans will help schools pursue grants and other transportation-related funding opportunities to implement the vision of each plan and/or organize resources to execute desired policies and programs.

Developing an SRTS Plan is a critical step to take when a school and broader community are interested in increasing the number of students walking, rolling, and bicycling to and from school or improving the safety of those who already do. Using a holistic approach, the goal is to create an implementable plan that is sensitive to the specific needs of the school community. Successful implementation of the plan will require close partnership and coordination between local government staff, school and school district staff, elected officials, and community stakeholders. Funding will also be essential. Currently, the most significant funding source available for implementing SRTS infrastructure projects and non-infrastructure programs is the federal Transportation Alternatives (TA) program, though this is subject to change. Funding and resources are also available through the Kansas Department of Transportation for SRTS planning, programming, and education. Having an SRTS plan is required to be eligible for much of this federal and state funding.



SCHOOL PLANS

A successful SRTS planning initiative requires a holistic approach to identify key challenges and opportunities for each priority school selected for study. The school-specific plans include the following elements:

- Collecting and reviewing existing-conditions data to understand what happens at each school before/during/after student arrival/departure times.
- Identifying issues and barriers that discourage students from walking, rolling, or bicycling.
- Developing short-, mid-, and long-term solutions to overcome barriers to walking/rolling/bicycling to school, including recommendations for:
 - Infrastructure projects within a half-mile of a K-12 school to improve walking, rolling, and bicycling conditions.
 - Policy and/or programmatic options at the school or school-district level to provide support, encouragement, and tools for success.

EXISTING CONDITIONS

The first phase in developing a Safe Routes to School plan is to analyze the existing conditions surrounding each school campus. A quantitative and qualitative analysis method is required to ensure that key focus areas are documented and important factors are highlighted to understand issues and opportunities. The following data were analyzed within a half-mile of each priority school:

- Existing walking, rolling, and biking network
- Functional classification
- Major intersections
- Crashes (Bicycle- or Pedestrian-involved crashes)
- Crashes (Vehicle crashes)
- Campus site circulation
- Student travel tallies conducted in classrooms
- Walk audits completed by the SRTS planning team
- Public comments from online survey



ISSUES IDENTIFICATION

The second phase in developing a Safe Routes to School plan is to identify the issues and barriers that students face when walking, rolling, or biking to school on any given day. This is a key step to producing actionable, school-specific strategies that can be implemented by the school district, government agencies, and other organizations. Issues have been identified through a collaborative process involving the analysis of existing infrastructure conditions, walk audit findings, and public comments. Focus was placed on identifying issues that specifically relate to at least one of the six E's, which guide WAMPO's SRTS decision-making.

Frequently, issues that are outside the scope of a Safe Routes to School initiative are cited as major reasons why a parent may not allow their child to walk, roll, or bike to school. These include weather and distance/travel time concerns, which represent real challenges but cannot be easily addressed through Safe Routes to School initiatives. Though documented, such feedback is not included in the issue identification process.

Themes identified as issues within the school district include walking/rolling/biking gaps, intersection safety issues, congestion, and infrastructure condition issues.

RECOMMENDATIONS

The third phase in developing a Safe Routes to School (SRTS) plan is to identify recommendations that can be implemented to address the identified issues. These recommendations are a critical guide for schools, school districts, cities, and other agencies to utilize for planning and implementing improvements that will make it easier and safer for students to walk, roll, and bike to school. Identifying both infrastructure and non-infrastructure recommendations helps achieve all six E's, rather than just a select few.

RECOMMENDATION PROCESS

After the identification of issues, the project team worked with individual schools, school districts, jurisdictions, and the WAMPO team to generate potential solutions for addressing each issue. Similarly to the identified issues, recommendations have been separated into five types of interventions (see following table), addressing different elements of Safe Routes to School.

A toolbox of recommendations to address various issues that school campuses face can be found in the regional Safe Routes to School Planning Toolkit. The toolbox contains a wide variety of proven countermeasures, including long-term infrastructure solutions, short-term quick-build projects, and numerous encouragement and education programs.



Type of Intervention	Description
 Sidewalk, Trail, or Bikeway Improvement	• Filling gaps in the sidewalk or trail network • Filling gaps or adding new on-street bikeway connection • Upgrades to existing infrastructure in poor condition.
 Crosswalk Improvement	Minor improvements to existing crosswalks, and the installation of new crosswalks: • Adding new crosswalks • Marking existing crosswalks • Enhancing an existing marked crosswalk with additional markings, signage, and/or pedestrian activated signalization.
 Intersection Improvement	Infrastructure and/or signalization improvements at intersections: • Reducing crossing distance and conflict points through changes to intersection geometry. • Increasing safety at an existing intersection, except for crosswalk improvements.
 Site Circulation Improvement	Improvements to traffic flow, capacity, and congestion within the school campus.
 Other Improvement	Other improvements that do not fit the other four categories in this table (e.g., corridor studies, tree planting, chicanes, speed humps, student, etc.).



PROJECT PRIORITIZATION PROCESS

A process to prioritize each project per school was developed to aid in long-term implementation. Five prioritization categories were identified, and a maximum of three points were awarded to each project per category (except for public comments, which had a maximum of two (2) points), for a maximum of fourteen (14) points. The projects were then assigned a category of low, medium, or high based upon their final score. Projects with a score of zero (0) to six (5) were designated to be a “Low Priority”, a score of between six (6) and nine (9) “Medium Priority”, and over ten (10) “High Priority”. High-priority projects are recommended to be implemented within five (5) years, medium-priority projects are recommended to be implemented within five (5) to ten (10) years, and low-priority projects are intended to be illustrative. Illustrative projects have no set timeframe but are long-term visionary ideas that should be completed with complementary projects and as funding allows.

Measure	Description	Points			
		0	1	2	3
Walking/Rolling/Biking Safety	One or more reported bicycle or pedestrian-involved crashes within 250 feet of an intersection, or 50 feet of a proposed sidewalk.	No crashes	-	-	1 or more crashes
General Safety	Density of crashes for all modes within 250 feet of an intersection, or 50 feet of a proposed sidewalk.	No crashes	0 – 2 crashes	3 – 5 crashes	Greater than 5 crashes
Public Engagement	A public comment identified the location or segment as a concern.	No comments	-	1 or more comments	-
Number of Schools Impacted	Number of schools (both priority and non-priority) located within a half mile of the project location.	No schools	1 school	2 schools	3 or more schools
Proximity to School	The proximity of the project to its associated school campus.	Greater than 1/2 mile	1/4 - 1/2 mile	1/8 – 1/4 mile	Less than 1/8 mile



Walking/Rolling/Biking Safety

A location with a documented history of pedestrian and bicycle crashes is a priority for Safe Routes to School projects. Even if just one crash was identified at a project location, improving the safety of those who walk/roll/bike to school is essential.

General Safety

A location with a high density of crashes, including vehicle crashes, signal safety concerns that may impact those who walk/roll/bike to school. Intersection improvements, lane reductions, and other projects can help improve safety for both drivers and people walking/rolling/biking.

Public Engagement

An online interactive webmap was developed to allow community members to identify key locations where they have safety concerns. If a community member identified a location as a concern where a project is being recommended, that project becomes a higher priority. Because many comments were not accompanied by an explanation, it was not feasible to identify whether the recommendation directly addresses the issue proposed, so a maximum of two points is given to accommodate this.

Number of Schools Impacted

Many schools within the Wichita metropolitan area are in close proximity to another school, whether on the same campus or on a separate campus nearby. In these situations, many of the projects recommended may impact students who walk/roll/bike to multiple different schools. These projects have the potential to improve the safety of a greater number of students, making them more cost-effective.

Proximity to School

Projects were generally identified within a half-mile radius. However, when a project is far from the school campus, fewer students are likely using the proposed facility. Projects that are located within an eighth-mile of the school campus have the potential to improve safety for the greatest number of students, as they use these facilities first before spreading out to their respective destinations.



NEXT STEPS

After existing conditions have been assessed, issues have been identified, and recommendations have been proposed, the final step to completing a Safe Routes to School initiative is the implementation of projects and programs that increase the well-being of students walking, rolling, and biking to school. Implementing this Safe Routes to School plan can be accomplished through a variety of ways, from infrastructure grants to program coordination efforts.

CONSULT THE PLANNING TOOLKIT

To complement each district's Safe Routes to School Plan, a guide for developing and implementation Safe Routes to School plans were developed. The guide contains a plethora of information about creating additional Safe Routes to School Plans and implementing each of the 6 E's in an impactful, meaningful way.

The WAMPO SRTS Planning Toolkit can be found here: [LINK TO BE INSERTED AT FINAL SUBMITTAL](#)

IDENTIFY FUNDING SOURCES

Infrastructure projects, even small ones, can be expensive to construct. It will be beneficial for school districts and government agencies to find funding and grant sources to more easily implement the recommendations of this plan. Establishing a Safe Routes to School Plan unlocks additional funding sources that can be used for a variety of projects to improve the safety of students walking, rolling, and biking to school. Funding sources may include federal, state, and local sources. WAMPO administers federal funding that may be used for Safe Routes to School projects, including the Transportation Alternatives (TA) program and the Surface Transportation Block Grant (STBG) program.

EXPAND SAFE ROUTES TO SCHOOL EFFORTS

While this Safe Routes to School plan focused on 58 priority schools across the Wichita metro area, there are still dozens of schools that do not have a Safe Routes to School plan. The Best Practices Guide contains information about how to create new Safe Routes to School plans based upon existing plans and templates. Additionally, there are policies which can be adopted to further promote Safe Routes to School efforts at the local and state levels.



ROSE HILL SCHOOLS (USD 394)

The Rose Hill Schools (Unified School District (USD) 394) serves approximately two (2) square miles in Butler County, including the City of Rose Hill. The district serves approximately 1,600 students at four (4) schools (one (1) primary school, one (1) intermediate school, one (1) middle school, and one (1) high school):

- **Rose Hill High School**
- **Rose Hill Intermediate School**
- **Rose Hill Middle School**
- **Rose Hill Primary School**

Bold text denotes a “priority” school identified for in-depth study as part of the initial phase of the WAMPO SRTS planning initiative and in coordination with the school district.

For the initial phase of the WAMPO SRTS Plan, school districts were asked to identify an allotted number of “priority” schools, based on district size/enrollment. These schools are the subjects of individualized SRTS planning efforts, which include reviewing in greater detail conditions within a half-mile radius of each school. Rose Hill Schools “priority” schools are for the initial phase of WAMPO SRTS planning and detailed in Table 1.



Table 1. Rose Hill Schools SRTS “Priority” Schools

School Name	Grades	Enrollment (2024-2025)	Free & Reduced Lunch**
Rose Hill Primary School*	PK – 2	420	38%
Rose Hill Intermediate School*	3 – 5	328	36%
Rose Hill Middle School*	6 – 8	328	36%
Rose Hill High School*	9 – 12	608	22%

Source: Kansas Department of Education; datacentral.ksde.gov/

* Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School, and Rose Hill High School share a campus

**Free & Reduced Lunch data is based on eligible and approved students



Rose Hill Primary School



Rose Hill Intermediate School



Rose Hill Middle School



Rose Hill High School



COMPLETED & ONGOING PLANS

A review of completed and ongoing studies was performed to identify any pertinent data and supportive planning elements for consideration within a half-mile of each “priority school.” However, no plans were found to be applicable within a half-mile of priority schools in Maize.

DRAFT



PARENT/CAREGIVER SURVEY

From July 21, 2025, through November 7, 2025, a survey was provided to parents and other caregivers of K-12 students in the WAMPO region to better understand their perspectives on student travel to and from school. The survey gathered input on travel behaviors, safety concerns, and opportunities for improvements to support SRTS in USD 394 and in the rest of the WAMPO region using standardized questions.² The survey was available in English and Spanish. Respondents were asked to complete one survey per student. Although responses were also recorded for other schools in USD 394, this report only summarizes the 48 survey responses received from parents/caregivers of students attending the four (4) “priority” schools of USD 394.

Table 2. Rose Hill "Priority" Schools Survey Responses

School Name	Grades	Enrollment (2024-2025)	Survey Results Received
Rose Hill Primary School***	PK – 2	420	1
Rose Hill Intermediate School***	3 – 5	328	2
Rose Hill Middle School*	6 – 8	328	33
Rose Hill High School*	9 – 12	608	12

² saferoutesinfo.org/




Source: Kansas Department of Education; datacentral.ksde.gov/

* Rose Hill High School, Rose Hill Intermediate School, Rose Hill Middle School, and Rose Hill Primary School share a campus

**Less than 10 responses were received from the school

Survey responses were received from parents/caregivers of students at every grade level, with only two responses recorded from high school students. Kindergarten and fifth-grade students were the most represented (see Figure 1).

Figure 1. What grade is your student enrolled in?



Most students reported on in the survey were recorded as traveling to and from school by family vehicle, with the next most common mode being biking (see Figure 2 and Figure 3).

Figure 2. On most days, how does your student travel to school?








Figure 3. On most days, how does your student travel from school?



While enrollment records can provide a complete picture of how far students live from school, the survey question offers additional value by showing how well the survey sample reflects households both within and beyond a typical walking distance. Most surveyed families reported living more than a mile from school, indicating that the results primarily represent the perspectives of households for whom walking or bicycling may be less feasible. Approximately 5% of students reported living within a half-mile of their school, meaning they live within the study-area (half-mile) boundaries from the school-specific profiles as a part of this plan (see Figure 4).


Figure 4. How far does your student live from their school?





Parents/caregivers choose to allow or not allow their student to walk, roll, or bicycle to school for various reasons. It may involve factors such as safety, infrastructure design, and distance. Most would allow their student to walk or bicycle to school starting in fourth or sixth grade (see Figure 5Error! Reference source not found.).


Figure 5. At what grade would you allow your student to walk or bike to/from school without an adult?





The top five concerns keeping respondents' students from traveling to/from school by walking, rolling, or biking were lack of facilities, poor driving behavior, weather, a lack of crossing guards, and a lack of convenience (see Figure 6).


Figure 6. Which of the following issues prevent your student from walking or biking to/from school?





The top five things that would help respondents allow their students to walk, roll, or bike to/from school include better facilities, reduced speeds, the addition of crossing guards, travel education, and walking with a group or an adult (see Figure 7Error! Reference source not found.).

Figure 7. What would help your student walk or bike to/from school or do so more often?





ROSE HILL SCHOOL SRTS PLANS

Safe Routes to School Plans have been developed for the four (4) priority schools in the Rose Hill School District. Each of these school plans include an analysis of existing conditions, the identification of key issues and challenges surrounding each school campus, and a set of infrastructure and program recommendations that can be implemented to improve the safe of students walking, rolling, and biking to/from school. Click the link below to access each school's individual Safe Routes to School plan.

Appendix RH - A: Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School, & Rose Hill High School [<INSERT LINK>](#)

DRAFT

Appendix RH - A:

Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School, and Rose High School

Safe Routes to School Plan

**Wichita Area Metropolitan Planning Organization
Safe Routes to School Plan**





TABLE OF CONTENTS

Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School, & Rose Hill High School.....	1
Existing Conditions	3
Student Travel Patterns	9
Issues Identification	15
Recommendations.....	17

FIGURES

Figure 1. Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School Existing Conditions	4
Figure 2: Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School Site Circulation Map	8
Figure 3. Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School Student Travel Tally Results.....	9
Figure 4. Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School Comment Map Results.....	14
Figure 5. Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School: Identified Issues	16
Figure 6. Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School: Recommendations.....	19
Figure 7. Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School: Prioritization	20

TABLES

Table 1. Key Roadways Within a Half-Mile of Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School	6
Table 2. Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School: Identified Issues	15
Table 3. Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School: Recommendations.....	18



Table 4. Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School: Programmatic Recommendations.....	21
--	----


DRAFT



ROSE HILL PRIMARY SCHOOL, ROSE HILL INTERMEDIATE SCHOOL, ROSE HILL MIDDLE SCHOOL, & ROSE HILL HIGH SCHOOL

Rose Hill High School, Rose Hill Middle School, Rose Hill Intermediate School, and Rose Hill Primary School (here on referred to as the Rose Hill School District Campus) are within a half-mile of one another and share a campus. The Rose Hill School District Campus is located in southern Rose Hill along School Street to the north and Rose Hill Road. Rose Hill High School is bordered by Rose Hill Road to the north, Rose Hill Road to the west, 190th Street to the south, and the City of Rose Hill border to the east. Rose Hill Middle School is bordered by School Street to the north, Rose Hill Road to the west, Rocket Drive to the east and south. Rose Hill Intermediate School and Rose Hill Primary School are located in one building which is bordered by School Street to the north, Rocket Drive to the west, and the City of Rose Hill border the south and east (see Figure 6). Land use surrounding the school campus is predominately low-density residential and undeveloped land.


Rose Hill Primary School



Source: Kansas Department of Education; datacentral.ksde.gov/




Rose Hill Intermediate School




Source: Kansas Department of Education; datacentral.ksde.gov/

Rose Hill Middle School



Source: Kansas Department of Education; datacentral.ksde.gov/

Rose Hill High School



Source: Kansas Department of Education; datacentral.ksde.gov/




EXISTING CONDITIONS

Existing conditions within a half-mile radius of the school campus were reviewed. This includes existing and proposed sidewalks and bikeways, roadway functional classifications, intersection controls, pedestrian crossings, and documented crashes.

DRAFT

Figure X. Existing Conditions

Rose Hill Primary, Middle, Intermediate, and High Schools





WALKING, ROLLING, AND BICYCLING NETWORK

The Rose Hill School District Campus is connected to the surrounding area by a limited network of sidewalks, most of which are located only along one side of the roadway (including within new residential development north of the school). To access the District Campus, there are sidewalks and marked crosswalks along School Street, Bentwood Drive, Warren Avenue, Main Street, and Rose Hill Road.

ROADWAY NETWORK

All U.S. roadways are grouped into Functional Classifications, based on characteristics including vehicle speed, traffic volume, number of through lanes, and frequency of access points.

Functional Classification	Description
Principal Arterial	Carries high traffic volumes at higher speeds with limited access points. Designed for long-distance mobility.
Minor Arterial	Provide slightly lower mobility than principal arterials; connect smaller activity centers and feed traffic to the principal arterial network.
Major Collector	Channels traffic from local roads to arterials; balance access and mobility, serving schools, parks, and small commercial areas.
Minor Collector	Collects traffic from local streets and provide access to nearby destinations; lower speeds, and volumes than major collectors.
Local Road	Provide direct access to residences and local destinations; designed for low speeds, and low traffic volumes.

Source: FHWA

Higher-Functional-Classification roads can present a barrier to walking, rolling, or bicycling to school. Arterials carry higher traffic volumes at higher speeds and have fewer crossing opportunities with multiple lanes. Collectors also pose barriers, as they carry more traffic and may operate at higher speeds while providing access to neighborhood destinations such as schools. Local roads, with lower traffic volumes and speeds, present fewer barriers to walking, rolling, and bicycling.



Table 1. Key Roadways Within a Half-Mile of Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School

Roadway	Functional Classification	Number of Lanes	Posted Speed Limit (School Speed Limit)	Crossing Distance*
Rose Hill Road	Major Collector	2	35 mph (20 mph)	55 – 60 feet
Butler Road	Major Collector	2	55 mph	60 – 65 feet
190th Street	Minor Collector	2	30 mph	55 – 60 feet

**Crossing distances are approximate from aerial imagery. Variations may occur due to measured locations.*

Major Intersections & Marked Crosswalks

Key intersections within a half-mile of the school campus include School Street and Rose Hill Road, a signalized intersection with two marked crosswalks to the north and east side of the intersection. Other important intersections include crossings along School Street at the intersection of Main Street, near Warren Avenue, near Strode Avenue, and Bentwood Drive, the main access points to the neighborhood north of the school.

CRASH HISTORY

An analysis was performed of all reported roadway crashes during the last five (5) years (2020-2024) and of all crashes involving pedestrians or bicycle riders during the last 10 years (2015-2024) within a half-mile radius of the school campus.

All Crashes

There were 34 crashes within a half-mile radius of the Rose Hill school campus. The majority of crashes occurred along Rose Hill Road, with a smaller subset occurring on School Street. Of the crashes that occurred on Rose Hill Road, one (1) of them occurred at or directly adjacent to the Rose Hill High School entrance, and two (2) occurred at the intersection of Rose Hill Road and Rocket Drive, an entrance to Rose Hill Middle School and Primary School. Of the crashes that occurred on School Street, one (1) occurred at the entrance to Rose Hill Middle School and one occurred at an entrance to Rose Hill Intermediate School. There was one (1) fatal crash which occurred at the intersection of Rose



Hill Road and 190th Street, just south of Rose Hill High School. Finally, there were four (4) crashes which occurred at the intersection of Rose Hill Road and the railroad crossing.

Pedestrian and Bicycle Crashes

There were five (5) bicycle and pedestrian crashes within a half-mile radius of the Rose Hill campus. Two of these crashes occurred at the intersection of Barry Avenue and Warren Avenue, one (1) of which resulted in a serious injury. One (1) crash occurred at the intersection of School Street, Main Street, and at an entrance to Rose Hill Middle School and Primary School. Finally, two (2) crashes occurred along Rose Hill Road at or within a block of the railroad crossing.

In addition, pedestrians and bicyclists are defined as vulnerable road users (VRUs) who travel without the protection of a motor vehicle. The Kansas Department of Transportation's Vulnerable Road User Safety Assessment (VRUSA)¹ was developed to help local agencies identify these risks and strengthen safety for people walking, rolling, and bicycling. The Kansas VRUSA Tool includes VRU Priority Corridors, which combine the High Injury Network (HIN) and the High-Risk Network (HRN). VRU Priority Corridors were established through a process of identifying locations where pedestrians and bicyclist injury from crashes occurred and where risk factors for these types of crashes were recurring.

Priority Level	Description
Priority Level 1	Corridors that are on both the HIN and HRN.
Priority Level 2	Corridors on the highest categories of the HIN or the HRN.
Priority Level 3	Corridors on the moderate and higher levels of the HRN but not on the HIN.
Priority Level 4	Corridors on the moderate and higher levels of the HIN but not on the HRN.

VRU Priority Corridors within a half-mile of the school include:

- **Berry Avenue:** Priority 1
- **School Street:** Priority 3
- **Rose Hill Road:** Priority 3
- **Rocket Drive:** Priority 3
- **Butler Road:** Priority 3
- **190th Street:** Priority 3
- **Other surrounding residential roadways:** Priority 3


¹ storymaps.arcgis.com/stories/d2f84d52c22b44d983c3907dcdf76f4b



SCHOOL CAMPUS SITE CIRCULATION

Vehicle drop-offs and pickups occur along School Street, Rocket Drive, and Rose Hill Road. Due to the four schools sharing a campus, there is significant congestion during drop-off and pick-up times. Students walking, rolling, or biking to/from school typically come from the north. They may come into conflict with congested traffic and have limited infrastructure to use to get to access each school entrance. No bicycle racks were observed so any student that bikes to school may not have secure parking.

Figure 2: Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School Site Circulation Map





STUDENT TRAVEL PATTERNS

This section summarizes the key findings from student travel tallies, walk audits, and the public-comment exercise conducted for the Safe Routes to School planning process. These activities provide insight into current student travel patterns, perceived safety concerns, and community priorities related to walking, rolling, and bicycling. The following pages present the results of these data-collection efforts and highlight the main themes that emerged.

STUDENT TRAVEL TALLY

Student travel tally data was not received for these schools. WAMPO, the school district, and the city should organize the collection of student travel tally data as a necessary next step to this plan (see Figure 3).

Figure 3. Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School Student Travel Tally Results

Student travel tally data was not received for these schools.

DRAFT



WALK AUDITS

Walk audits provide a snapshot of real-world conditions during arrival and dismissal periods, focusing on how students travel and interact with their surroundings. The following findings come from observations made during walk audits at the Rose Hill School District Campus.

Rose Hill Primary School

Date	Time	Weather	Crossing Guard(s)	Bicycle Rack(s)
October 30, 2025	2:30 PM	Sunny	Yes	Yes

The results highlight existing programs, barriers, safety concerns, and opportunities for improvement identified at the school.

- There were gates blocking all loops around the school until approximately 15 minutes after dismissal.
- There was a police officer observing traffic, which may signal traffic/driver behavior issues.
- There are sidewalks surrounding school and north, but no infrastructure to the south.



Bike rack



Students crossing vehicle traffic




School zone speed limit sign outside school campus



Vehicle traffic



Vehicles lined up inside school campus for student pick up



Blockade to the left to direct vehicle traffic



Vehicles lined up to enter school campus for student pick up



Rose Hill Intermediate School

Date	Time	Weather	Crossing Guard(s)	Bicycle Rack(s)
October 29, 2025	2:45 PM	Overcast	N/A	Yes

The results highlight existing programs, barriers, safety concerns, and opportunities for improvement identified at the school.

- There is a large gate that prevents cars from coming into the east parking lot from Rocket Drive.
- A few people picking up students used the east parking lot to avoid the main pick-up area but could not leave due to the Rocket Drive gate.

Rose Hill Middle School

Date	Time	Weather	Crossing Guard(s)	Bicycle Rack(s)
October 29, 2025	N/A	N/A	N/A	N/A

The results highlight existing programs, barriers, safety concerns, and opportunities for improvement identified at the school.

[awaiting walk audit summary from walk audit team]



Rose Hill District buses lined up awaiting student pick up



Parent/Caregiver vehicles lined up awaiting student pick up



Rose Hill High School

Date	Time	Weather	Crossing Guard(s)	Bicycle Rack(s)
October 29, 2025	2:30 PM	Overcast	N/A	Yes

The results highlight existing programs, barriers, safety concerns, and opportunities for improvement identified at the school.

- Sidewalk to other schools stops when you hit Rocket Drive. Students must go through the open field or walk on the grass along the road.
- There is a lack of pedestrian crossings within a reasonable distance of each other.



Sidewalk crossing




Students walking across the parking lot

PUBLIC COMMENTS

An online interactive map was provided for parents, caregivers, and other community members to identify specific locations with walking, bicycling, or other safety concerns. No comments were received within a half-mile of the Rose Hill campus (see Figure 4). For a full comprehensive list of all public comments received, see [Appendix X](#).

Figure X. Rose Hill Primary, Middle, Intermediate, and High Schools

Public Comments



Comments shown on this map are a summary of all received within the half-mile boundary. See Appendix A to review all received comments.



ISSUES IDENTIFICATION

Infrastructure-related issues surrounding the Rose Hill School District Campus relate primarily to sidewalk connections, intersection/crossing safety, and traffic congestion. These issues can result in students having to follow indirect routes to and from school, as well as increasing potential conflicts between students and motor vehicle traffic.


Figure 6 and Table 3 were developed to provide staff and the public with a summary of challenges that students may face when walking, biking, and rolling to school. Issues reflected on the map were identified through an analysis of existing conditions as documented through walk audits, Student Travel Tallies, parent/caregiver surveys, and public comments. Each letter corresponds with a location near the school campus.

Table 2. Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School: Identified Issues

Location	Issue
A	Missing sidewalk connections at identified locations, including the following corridors closest to the school campus: • One or both sides of Strode Avenue from School Street to Parkwood Drive and Parkwood Drive from Strode Avenue to Warren Avenue. • East side of Rose Hill Road in front of Rose Hill High School. • North side of School Street from Bentwood Drive to east terminus.
B	Crosswalks are not marked at identified locations.
C	Sidewalk gap due to parking spaces along the roadway.
D	Intersection congestion at identified location.
E	Incomplete sidewalk along parking lot of school campus.
F	Missing sidewalk within school campus.
G	Missing sidewalk infrastructure at railroad crossing.

Figure X. Issues

Rose Hill Primary, Middle, Intermediate, and High Schools





RECOMMENDATIONS

A selection of visionary, planning-level recommendations have been identified within a half-mile surrounding each school campus. For each recommendation, further feasibility planning, evaluation, and engineering is required to build off this study's identified solutions and determine final long-term approaches for each project. Each recommendation has a conceptual scale of cost (note: no engineering analysis was completed as part of this study, these costs are purely planning-level) including low (\$), medium (\$\$), and high (\$\$\$). If a temporary version of a project could be quickly constructed as a demonstration project, it has been denoted by a checkmark in the recommendations table for each school. Some projects are already actively being planned or implemented either individually or as a part of larger efforts and should be tracked as such on a case-by-case basis. For more information about how recommendations were identified and prioritized, please see the overall district report.

Icon	Recommendation Theme
	Sidewalk, Trail, or Bikeway Improvement
	Crosswalk Improvement
	Intersection Improvement
	Site Circulation Improvement
	Other Improvement

Lighting is a key component contributing to the perception of a safe route to/from school. Because many students need to walk/roll/bike to school in dark winter mornings, providing adequate lighting surrounding the school campus, along key walk/bike routes, and at all intersections and marked crosswalks is essential. The Federal Highway Administration estimates that nearly three-quarters of all pedestrian fatalities in the U.S. happen in low light or night conditions. Because of this, lighting should be included as part of all applicable projects and designed using the latest industry standards and best practices.



INFRASTRUCTURE RECOMMENDATIONS

Table 3. Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School: Recommendations

ID	Type	Recommended Intervention	Priority	Cost	Quick-Build
A		Install a walking/rolling/biking connection along School Street from Rose Hill Road to Main Street.	High	\$\$	
B		Install a walking/rolling/biking connection along identified “medium priority” corridors.	Medium	\$\$	
C		Install a walking/rolling/biking connection along identified “low priority” corridors.	Low	\$\$	
D		Add crosswalk markings at identified unmarked crosswalks.	Medium/High	\$	✓
E		Conduct a detailed traffic study of the Rose Hill Road corridor within the City of Rose Hill boundaries. This should include School Street and Rose Hill Road intersection) to understand the feasibility of creating an aligned four-leg intersection as well as other intersection improvements focused on walking, rolling, and biking and enhanced infrastructure (e.g., widened sidewalk or shared use path) along the corridor.	High	N/A	
F		Add ADA compliant crossings and associated railroad gate and signage improvements.	High	\$\$\$	

Figure X. Recommendations

Rose Hill Primary, Middle, Intermediate, and High Schools





Figure X. Project Prioritization

Rose Hill Primary, Middle, Intermediate, and High Schools



- Priority School
- 1/2 Mile School Radius
- Sidewalk
- Shared-Use Path
- Project Prioritization**
- Low Priority: Illustrative (0-5 points)
- Medium Priority: 5-10 years (6-9 points)
- High Priority: 0-5 years (10-14 points)
- No Prioritization Completed
- Low Priority: Illustrative (0-5 points)
- Medium Priority: 5-10 years (6-9 points)
- High Priority: 0-5 years (10-14 points)
- No Prioritization Completed



NON-INFRASTRUCTURE (PROGRAMMATIC) RECOMMENDATIONS

In addition to infrastructure recommendations, it is also imperative to identify non-infrastructure related recommendations that can be implemented by each school. The non-infrastructure recommendations support a holistic approach to fully implementing a SRTS program and accomplishing the six E's. Non-infrastructure recommendations include programmatic opportunities that can be implemented to increase education and awareness. These connect five of the six E's to actionable strategies: Education, Encouragement, Engagement, Evaluation, and Enforcement.

At Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School, and Rose Hill High School, program recommendations focus on supporting students of all grade levels in walking and biking to school. Walking School Buses and Bike Trains provide organized opportunities for students to travel to and from school with their peers under adult supervision, helping to address safety concerns and build confidence in active transportation. Creative Contests further encourage walking and biking by engaging students in fun, educational activities that promote active transportation messages and benefits. For the students who live farther away from school, Walk and Bike to School Day events could include a "park and walk" option that allows students to walk part way or activities at school.

Table 4. Rose Hill Primary School, Rose Hill Intermediate School, Rose Hill Middle School & Rose Hill High School: Programmatic Recommendations

Program	Description	Implementation Actions
Walk and Bike to School Day	National and international events, such as Walk to School Day (October) and Bike & Roll to School Day (May), are widely recognized as opportunities to introduce and normalize active transportation. Schools can begin with a single annual event and expand to recurring monthly or seasonal events.	Partner with agencies such as KDOT or public health departments to access promotional materials and safety messaging. Identify meeting points such as "park and walk" locations to support participation for students who live farther away. Coordinate with law enforcement or volunteers to provide temporary crossing guards. Recognize participation through homeroom competitions or grade-level challenges.



Walking School Bus / Bike Train	Walking school buses and bike trains are programs that organize groups of students traveling to and from school along designated routes with adult supervision. These programs provide a structured and reliable way for students to participate in active transportation while addressing safety concerns.	Establish clearly defined routes with scheduled stops and consistent timing. Recruit and train background checked volunteers or parent/caregiver leaders. Maintain clear communication with families regarding expectations, participation, and safety practices. Register the Walking School Bus with KDOT to receive supporting materials and information: https://kdotapp.ksdot.gov/WalkingSchoolBus/
Creative Contests	Student-led creative activities reinforce safety messaging while engaging students in SRTS concepts.	Work with the SRTS team to determine a messaging contest, such as yard signs, short videos, essays, public service announcements, posters, and more. Draft guidance and goals, including the focus of the campaign like safe travel behavior or health and safety benefits. Encourage students to submit their work. Display submissions in school or along school routes, if using yard signs. Showcase winning entries at school events or on social media to extend community reach.